

**Cub Cadet****Power Equipment****Service Bulletin****CC-329****LAWN TRACTORS & SERIES 2000**

Models: 2130, 2135, 2150, 2155

Date: June 1, 1996

Subject: AIR CLEANER KIT 759-3801

A product improvement has been incorporated in the air cleaner system used on Kohler CH single cylinder engines. The original design had a rubber grommet inserted in the center of the inner air cleaner cover, with a washer and wing nut used for retention. Reports from the field indicated that customers often lost the separate washer and the grommet was being dislodged or damaged by sliding it over the threaded stud.

The new design addresses both problems. The washer and grommet have been replaced by a rubber seal (part number KH-24-032-03), which is installed on the stud under the inner cover. When the pieces are correctly installed, the seal prevents any dirt entry at the stud hole. Normal air cleaner service can be performed without disturbing the seal, so it shouldn't get lost or damaged.

We are recommending that all the above model tractors with engine serial number 2519500004 and lower be converted to the new configuration whenever the air cleaner is being serviced or replaced. Air cleaner service kit 759-3801 includes 759-3547 element, KH-24-032-03 seal, and installation instruction (a copy is attached to this bulletin) for convenient conversion of tractors in the field.

**NOTE TO THE PARTS DEPARTMENT:** Until the next parts catalog revision can be printed, please change the part number in the above model parts catalog from 759-3547 to 759-3801 kit. Part number 759-3547 filter will remain for other applications.

This is being released as a bulletin for information purposes only.

Service Manager	Parts Manager	Service Tech.	Service Tech.	Service Tech.

***Circulate And Initial***



Power Equipment

## Service Kit 759-3801

Models - 1340, 2130, 2135, 2150, 2155

### AIR CLEANER KIT

A product improvement has been incorporated in the air cleaner system on Kohler CH 12.5 - 15 single cylinder engines. The original design had a rubber grommet inserted in the center hole of the inner air cleaner cover, with a washer and wing nut used for retention. Reports from the field indicated that customers often lost the separate washer and the grommet was being dislodged or damaged by sliding it over the threaded stud.

This kit is used to convert older engines (built prior to engine serial number 2519500004) to the new design or to service the element on engines that already have the new design.



**WARNING: Accidental Starts!**

*Before installing this kit, or servicing the engine or equipment, remove the spark plug lead(s) to prevent the engine from starting accidentally. Ground the lead(s) to prevent sparks that could cause fire. Make sure the equipment is in neutral.*


#### 759-3801 Kit Contains -

<u>Qty.</u>	<u>Description</u>	<u>Number</u>
1	Seal, rubber	KH-24-032-03
1	Element, air cleaner	759-3547
1	Installation Instructions	772-4246

#### To Install -

1. Loosen the knob and remove the outer air cleaner cover.
2. Remove the wing nut from the inner air cleaner cover. Compare the illustrations on the back page to your engine to **determine** if you have the old or new design.
  - a. If you have the old design, remove the washer, inner cover, and element/precleaner. Remove the grommet from the inner cover and discard the grommet and washer. Install the new seal on the stud of the air cleaner cover and slide it down against the bracket.
  - b. If you have the new design, remove the inner cover and element/precleaner. Inspect the seal on the bracket stud. If it shows any sign of wear or damage, replace it with the new one.
3. Remove the precleaner from the element and service it following the instructions in your tractor owner's manual. If its condition is questionable, obtain a new replacement from your Cub Cadet Dealer. Discard the old element.
4. Install the serviced or replacement precleaner on the new element and install them both onto the air cleaner base.
5. Reinstall the inner cover, wing nut, and outer cover.

**Old Design**



**New Design**

